

Message

From: Isom, Kristen [isom.kristen@epa.gov]
Sent: 8/8/2018 7:58:42 PM
To: Kelley, Jeff [kelley.jeff@epa.gov]
CC: Reshkin, Karen [Reshkin.Karen@epa.gov]
Subject: RE: Ideas for the weekend report
Attachments: 8-8-18 Weekend Report.docx

Jeff,

Just received another revision from WD on Armenia Growers.

That homes were in both Port Edwards and Armenia, Wisc. I reflected that and the counties that conducted testing in the attached report.

Apologies for the second version.

Kristen Isom
USEPA
77 W. Jackson Blvd.
Chicago, IL 60604
isom.kristen@epa.gov
312.353.6318

From: Isom, Kristen
Sent: Wednesday, August 08, 2018 2:40 PM
To: Kelley, Jeff <kelley.jeff@epa.gov>
Cc: Rowan, Anne <rowan.anne@epa.gov>; Reshkin, Karen <Reshkin.Karen@epa.gov>
Subject: RE: Ideas for the weekend report

Jeff:

Attached is the draft weekend report. I left the two bullets at the top of the document for the updates we still need.

Thank you,

Kristen Isom
USEPA
77 W. Jackson Blvd.
Chicago, IL 60604
isom.kristen@epa.gov
312.353.6318

From: Kelley, Jeff
Sent: Tuesday, August 07, 2018 5:09 PM
To: Isom, Kristen <isom.kristen@epa.gov>

Cc: Rowan, Anne <rowan.anne@epa.gov>; Reshkin, Karen <Reshkin.Karen@epa.gov>

Subject: Ideas for the weekend report

Here's what we came up with ...

- Sterigenics update – I think we had something about Sterigenics in the last week or so. Otherwise, I can draft this one.
- East Chicago / USS Lead -- ATSDR to brief Mayor on blood lead study. August 18 is the ATSDR public meeting. I might need to draft this one, too, unless Rachel is back tomorrow
- Central Sands / Armenia Growers – ask Linda Holst for a couple sentences about the letter EPA and WDNR sent to Armenia Growers last week
- Parchment, Mich., update – this was in last week's report. I think the update for this week is that the city of Kalamazoo will provide drinking water for the next year. Jeff Kimble and Ralph Dollhopf are the leads in SFD.
- Franklin, Ind., update – updates here are that we've received results of air testing, the company installed a carbon filter device and there was a public meeting. Cisco can provide some more info.

I'm sure you have some questions ... we can touch base and I can provide a little more info on these.

Jeff Kelley

Director, Office of External Communications

U.S. EPA Region 5

ph: 312-353-1159